

# Aeris Numo Task



Product information  
Product dimensions  
Tender text  
TÜV-GS certificate  
Care instructions  
Fabric sample overview



# Aeris Numo Task

## Product information



Product information

An office chair,  
just as flexible  
as we are.





# Aeris Numo Task

## Product information

Aeris Numo Task

The Aeris Numo Task is a designer office chair that uniquely combines timeless design with the most innovative technology. The technologies specially developed by Aeris ensure greater well-being and prevent back pain. Its elegant slat design on the backrest not only looks great, but also provides good ventilation for the back in the version without back cushion. The retrofittable back cushion made from recycled PET bottles with integrated lumbar support not only relieves the back, but also the environment.



Product information



The patented Self Adjusting Motion Element (SAM) enables comfortable movement to all sides, regardless of the user's weight. Coupled with Aeris suspension technology and the patented Aeris kinematics, the Aeris Numo Task offers mobility in all three dimensions: vertically, to the sides and forwards and backwards, which effectively prevents back pain. The flexible zone on the front edge of the designer office chair's seat prevents uncomfortable pressure points and promotes blood circulation in the thighs.

# Aeris Numo Task

## Product information

Aeris Numo Task

### Technical details

#### Product weight

With column: 11 kg

Spring strut: 12,3 kg

#### Foot cross

Glass fibre reinforced

polypropylene

Diameter: 72,5 cm

#### max. user weight

120 kg

#### Castors

Braked universal wheels for all  
floors according to DIN EN 12529

#### Seat Shell

Glass fibre reinforced

polypropylene

Product information

### Select the right leg type:

#### Column

Body weight: 45 - 120 kg

Seat height: 42 - 53 cm

#### Strut Light

Body weight: 45 - 60 kg

Seat height loaded: 44 - 52,5 cm

Seat height unloaded: 54 - 62,5 cm

#### Strut Standard

Body weight: 60 - 120 kg

Seat height loaded: 44 - 52,5 cm

Seat height unloaded: 54 - 62,5 cm

All models meet the requirements for tested safety  
(GS), according to DIN 1335/16139.

### Awards and certificates:



red dot winner 2022



# Aeris Numo Task




## Product dimensions

Aeris Numo Task

Product dimensions

### Column castors

### Dimensions



- Overall height  
81 cm - 92 cm
- Overall depth  
72 cm
- Overall width  
72 cm
- Seat height  
42 cm - 53 cm
- Backrest height (from seat)  
39 cm
- Armrest height  
11 cm
- Seat width  
44 cm
- Seat depth  
44 cm

# Aeris Numo Task

## Product dimensions




Aeris Numo Task

Product dimensions

### Column glider

### Dimensions

- Overall height  
81 cm - 92 cm
- Overall depth  
72 cm
- Overall width  
72 cm
- Seat height  
42 cm - 53 cm
- Backrest height (from seat)  
39 cm
- Armrest height  
11 cm
- Seat width  
44 cm
- Seat depth  
44 cm








# Aeris Numo Task

## Product dimensions

Aeris Numo Task

Product dimensions

### Spring strut castors



# Aeris Numo Task

## Product dimensions




Aeris Numo Task

Product dimensions

### Spring strut glider

### Dimensions

- Overall height  
90 cm - 99 cm (unloaded)
- Overall depth  
72 cm
- Overall width  
72 cm
- Seat height  
44 cm - 53 cm (loaded)
- Backrest height (from seat)  
39 cm
- Armrest height  
11 cm
- Seat width  
44 cm
- Seat depth  
44 cm





# Aeris Numo Task

## Tender text

Aeris Numo Task

### Product type

Active office swivel chair, with spring strut or column and backrest



Tender text

### Product description

The Aeris Numo Task is an ergonomic chair with patented kinematics and a unique movement joint in the base. These technologies enable a comfortable deflection to all sides - regardless of the weight of the user. The front flex zone of the seat cushion prevents unpleasant pressure points and congestion in the thigh. The retrofittable backrest cushion with integrated lumbar support helps to relieve pressure on the back and supports an upright posture. The back cushion also has a clip-in mechanism for easy insertion and removal. The slatted design of the backrest ensures good ventilation of the back in the version without backrest cushion. The sturdy foot ring is extremely stable and resistant to tipping, available with castors or glides. The user weight is 45 - 120 kg. The seat can be swivelled 360°.

Aeris Numo Task  
TÜV-GS certificate

Aeris Numo Task

TÜV-GS certificate

ZertifikatCertificate



Zertifikat Nr. S 60162307	Certificate No.	Blatt 0001	Sheet	Gültig ab 17.03.2022	Valid from (day/mo/yr)
Ihr Zeichen 0010-A.W.-DE21P0WK	Client Reference	Unser Zeichen 0010-A.W.-DE21P0WK	Our Reference	Längstens gültig bis 16.03.2027	Latest expiration date (day/mo/yr)

Genehmigungsinhaber  
aeris GmbH  
Hans-Stießberger-Str. 2 a // 3. OG  
85540 Haar  
Deutschland

Licence Holder

Fertigungsstätte  
aeris GmbH  
Von-Holzapfel-Str. 6  
86497 Horgau  
Deutschland

Manufacturing Plant



www.tuv.com  
ID 1111251335

Geprüft nach  
DIN EN 1335-1/07.20  
DIN EN 1335-2/04.19

Tested acc. to

Zertifiziertes Produkt (Geräteidentifikation)  
Certified Product (Product Identification)

Lizenzentgelte - Einheit  
License Fee - Unit

Drehstuhl

Bürodrehstühle Modellreihe "Numo Task"

Sitzhöhe über Gasfeder von Stabilus (Stab-O-MAT, DIN EN 16955, Klasse 4A) verstellbar. Optional mit Federbein (Light, Standard oder Strong). Fußkreuz aus Kunststoff. Rollen Typ Move 60, Ø 60mm von Gross Stabil (Gross+Froelich/Rolle Move 60). Sitzunterkonstruktion aus Aluminiumdruckguss (pulverbeschichtet). Glasfaserverstärkte Kunststoffstoffsitzschale aus Polyamid). Sitz und Rücken gepolstert und mit Stoff bezogen.

Alle sicherheitsrelevanten Prüfungen der DIN EN 1335 wurden erfüllt.

Parent ID: 0000043485.

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde. Produkt und Fertigungsstätte erfüllen § 20 des Produktsicherheitsgesetzes.  
This certificate is based on our Testing and Certification Regulation. The provisions of §20 Product Safety Act are complied with.

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg  
http://www.tuv.com/safety E-mail: markcheck@tuv.com  
Fax: +49 221 806-3935

Ausstellungsdatum Date of Issue : 17.03.2022 (day/mo/yr)

Zertifizierungsstelle



C. Prosch

100020 in 04.08. © TÜV, TÜV und TÜV are registered trademarks. Utilization and application requires prior approval.



# Aeris Numo Task Care instructions

Aeris Numo Task

Care instructions

## Post-Consumer Polyester Bezug

Always remove stains as quickly as possible before they have penetrated the fibres.

Optimal treatment is with lukewarm water and pH-neutral soap foam. Pre-treat oil and grease stains with ethyl alcohol (spirit).

After each cleaning, treat with clean water. Never use cleaning agents containing

Attention! Cleaning with petrol/acetone etc. can dissolve foam if over applied. Do not saturate. Use a little amount of acetone at a time – Large quantities can cause irreparable damage to the foam. Be careful Acetone is flammable, so keep it away from live flames. Inhalation is dangerous so use in a well ventilated area.

The seat may only be treated when damp, not wet, otherwise the upholstery under the fabric may be damaged under the fabric can be damaged. Therefore, please use only a little water and apply use only small quantities of the cleaning agent.

To avoid edges, please always treat from the edge to the centre.

## Cleaning seat shell and star base

The seat shell and base can simply be wiped down with a damp cloth; if necessary, use neutral soap as a cleaning agent.

It is best to remove scuff marks from shoe soles on the star base with a soft eraser.


# Aeris Numo Task

## Fabric sample overview

Aeris Numo Task

Fabric sample overview

Cura / Gabriel




CU01, black

60111




CU02, grey  
melange

60110




CU04, blue  
melange

66167




CU06, yellow  
melange

62084




CU09, light violet  
melange

64194




CU12, petrol blue  
melange

67084




CU13, pale green  
melange

68186




CU14, fern green  
melange

68181




CU16, beige  
melange

61168



CU17, light grey  
melange

60112







Gabriel Cura features

The Cura fabric cover is characterized by a warm, casual aesthetic that is complemented by a lively melange effect and a soft, voluminous texture.

But this material is not only visually appealing - its high stretchability enables flexible use, making it perfect for office and lounge furniture. But what makes this material special is its sustainability. As much as 98% of the material is made from recycled post-consumer polyester, which makes a significant contribution to reducing waste. In addition, the entire material is 100% recyclable and therefore contributes to a closed-loop economy.

But this material also scores highly in terms of ecological standards. The EU Ecolabel shows that it meets strict environmental criteria and is therefore an environmentally friendly choice. It also fulfills meets the requirements of STANDARD 100 by OEKO-TEX®, which means that it has been tested for possible harmful substances and is considered safe for human use.

Cura-Specifications

Design no.	2480/2544		
Composition	100% post-consumer recycled polyester		
Weight	g/lm 420 oz/lin.yd 55		
Width	cm 140 inches 55		
Abrasion	rubs Martindale (EN ISO 12947-2) 100.000 Double Rubs Wyzenbeek (ASTM D4157-07) (heavy duty upholstery) 100.000 ASTM D4157-07 Wyz-abrasion (heavy duty) 100k pass  Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan		
Pilling	scale 1-5, max. 5 - EN ISO 12945-2 ASTM D3511 Pilling pass	4-5	
Light fastness	scale 1-8, max. 8 - EN ISO 105-B02 AATCC 16 Light fastness pass	5-8	
Rubbing fastness	scale 1-5, max. 5 - EN ISO 105x12 (dry/wet) AATCC 8 oder 116 Dry/wet crocking	4-5/4-5	pass
Care instructions	wash or dry cleaning P(W) Cura is made of polyester which is a material suited for environments with special requirements for cleaning.  40°C shrinkage max. 1%.  60°C shrinkage max. 2%.		
Flammability	BS EN 1021 1&2 Cigarette and Match CA TB 117-2013 ASTM E 84 Class 1 Will also pass other flammability standards. Flame retardant performance is dependent upon the foam used. Contains no flame retardant chemicals.		

Environment	OEKO-TEX® STANDARD 100 EU Ecolabel		
-------------	---------------------------------------	--	--

Cura / Gabriel

Gabriel A/S  
Hjulmøgetvej 55  
9000 Aalborg, DENMARK



DTI TEKSTIL  
TEKNOLOGISK INSTITUT  
GREGERSENSVEJ  
2630 TAASTRUP, DENMARK

# Certificate

## OEKO-TEX® STANDARD 100

### Gabriel A/S

is granted the OEKO-TEX® STANDARD 100 certification  
and the right to use the trademark.

**SCOPE**  
Woven and knitted upholstery fabrics of 100% polyester.; Woven des. Event, Event Screen+, Step, Step Screen, Step Melange, Step Melange Screen, Twist, Twist Melange, Go Check, Go Uni, Go Couture, Spin & Contour. Knitted des. Atlantic, Flex, Sync, Sync EU, Athlon & Athlon Plus; upholstery fabrics Step, Step Screen, Step Melange, Step Melange Screen, Twist, Twist Melange, Go Check, Go Uni, Go Couture, Spin & Sync EU are made of yarns with flame retardant properties accepted by OEKO-TEX®

**PRODUCT CLASS**  
II (products with direct contact to skin) – Annex 4



STANDARD 100 876-13601 DTI

This certificate 876-13601 is valid until 31.08.2024.

**SUPPORTING DOCUMENTS**  
✓ Test report : 136-51  
✓ Declaration of conformity in accordance with EN ISO 17050-1 as required by OEKO-TEX®  
✓ OEKO-TEX® Terms of Use (ToU)



Anette Werker  
Senior Consultant Textiles



Maria Rahbek Pedersen  
Consultant


Further compliance information (REACH, SVHC, POP, GB18401 etc.) can be found on [oeko-tex.com/en/faq](https://www.oeko-tex.com/en/faq).  
The certificate is based on the test methods and requirements of the OEKO-TEX® STANDARD 100 that were in force at the time of evaluation.

Taastrup, 2023-08-14



OEKO-TEX Service GmbH · Genferstrasse 23, CH-8002 Zurich

# Never just sit.



Aeris GmbH  
Hans-Stießberger-Straße 2a  
85540 Haar  
Germany

Tel.: +49 (0) 89 - 900506 - 0  
[info@aeris.de](mailto:info@aeris.de)  
[www.aeris.de](http://www.aeris.de)